

ELECTRIC POWERED FORKLIFT

1.5 to 3.0 TON

# 8FB SERIES



 TOYOTA



EXPERIENCE TOYOTA'S LATEST  
TECHNOLOGY AND RELIABILITY

# 8FB SERIES

ELECTRIC POWERED FORKLIFT  
1.5 to 3.0 TON

ADVANCED  
SAFETY

MANAGEMENT  
SUPPORT

OUTSTANDING  
OPERABILITY

HIGH  
PRODUCTIVITY  
AND  
EFFICIENCY

TOYOTA  
**25**



**SAS  $\epsilon$**  OPT **ACTIVELY FUNCTIONS TO ACHIEVE EXCELLENT STABILITY**

Prevents load spills by controlling tilt angle and tilt speed according to the height of the lift.

- Active Mast Front-tilt Angle Control
- Active Mast Tilt Speed Control

Controls turn speed and limits maximum traveling speed, according to the status of the vehicle.

- Automatic Vehicle-speed Control
- Automatic Turn-speed Control

<b>Turning without Load</b>  Turning radius (small) Slow	<b>Turning with Load</b>  Turning radius (large) Normal speed
 At high lift height Slow	 At low lift height Slightly slow

Supports smooth and accurate operations through operator-friendly load-handling and traveling controls.

- Automatic Fork-leveling Control
- Active Steering Synchronizer





## MANAGEMENT SUPPORT

Achieves a more-secure and disciplined work environment through customized features to manage your forklifts and operators.



Easy to determine whether your operator's seat belt is properly fastened.

**NEW** Orange Seat Belt OPT


**NEW** Seat Belt Interlock System OPT

Note: When this option is selected, the color of the seat belt will be orange.



Warns by visual indicator and sounds if impact is detected.

Shock Sensor OPT



Visualizes a wide range of data such as vehicle operations by each operator, detected shocks and battery usage.

**NEW** i-Site OPT

(Telematics with POC)



Prevents use by unauthorized persons, and allows customized vehicle settings.

PIN\*-code Entry System OPT

\*Personal Identification Number

High-visibility display enabling a variety of vehicle settings as well as showing necessary information on the vehicle.

Standard Display



- Overheat warning indicator
- Power-select function indicator
- Parking brake warning indicator
- Hour meter and more

Multifunction Display OPT




- Digital speedmeter
- Wheel indicator
- Load weight indicator \*
- and more

\*Available on Deluxe Multifunction Display OPT

Display Screens



Automatic vehicle-speed control indicator



Scheduled-maintenance hour meter



Odometer and trip meter



Wheel indicator



Load weight indicator\*



Over-speed alarm

Enables an operator to handle loads, or switch directions without even taking the hands off the steering wheel. Effortless, fingertip controls reduce fatigue and ensure a comfortable posture.



Mini Lever OPT / Joystick OPT

## OUTSTANDING OPERABILITY

Great comfort to get more work done with less effort by the operator.

Makes everyday work stress-free with easy entry and exit.



Large Assist Grip /  
Wide Step

Comfortable features to help you get through long working times.



Large Assist Grip /  
Wide Step  
Self-stowing Parking Brake  
Small-diameter Steering Wheel  
ORS\* Seat with Suspension  
\*ORS: Operator Restraint System OPT



Features and equipment may vary depending on market.

Stops and then descends at a constant speed when the accelerator is released on slopes.



Anti-rollback

Enables outdoor operations in all weather.



High Water Resistance (Equivalent to IPX4)




## HIGH PRODUCTIVITY AND EFFICIENCY

Long operating times and assisting features for even more productive operations.

Realizes long operating times with efficient energy recovery.

- Auto Power-off Function
- Regenerative Systems




S mode achieves both long operating times and comfortable operations.  
H mode is also available for demanding operations.



For operators who want more travelling power only on slopes without adjusting power mode through multi-function display.



Quick and easy battery exchange for even more efficient work.



Positions your lift height with a single touch of the button.

